
#### Friendship Jr. High School Accelerated Math Program



Foundation Skills

**UNIT #2** 

Solving Equations


**UNIT #3** 

Solving Inequalities

### Foundation Skills

## PROPERTIES OF REAL NUMBERS

Commutative Property of Addition Commutative Property of Multiplication Associative Property of Addition Associative Property of Multiplication Additive Identity Multiplicative Identity Additive Inverse Multiplicative Inverse Clasure Zero Property



$$a+b=b+a$$
  
 $ab=ba$   
 $a+(b+c)=(a+b)+c$   
 $a(bc)=(ab)c$   
 $a+0=a$   
 $(a)(1)=a$   
 $(a)+(-a)=0$   
 $(a)(/a)=1$   
 $3.5+2.\overline{1}=a \text{ rational no.}$   
 $(a)(0)=0$   
 $a(b+c)=ab+ac$ 

#### PROPERTIES OF EQUALITY

Distributive Property

Reflexive Property of Equality Substitution Property of Equality Symmetric Property of Equality Transitive Property of Equality

a = a $9a = 3^{2}a$ If a=b, then b=a If a=b and b=c, then a = C

#### Lesson 1.2 **ALGEBRAIC EXPRESSIONS** & PROBLEM SOLVING

Write an algebraic expression for each:

10 A number decreased by three

n-3

20 Four more than five times a number

**|5n+4|** 

3. The product of two less than a number and five more than twice the number

$$(n-2)(2n+5)$$

Define a variable, establish a key, and solve:

to Three times a number decreased by seven is twenty-six. Find the number.

n = the number

3n - 7 = 263n = 33 n=11



5●The sum of John's age and Glenn's age is twenty-two. Five years from now, John will be three times as old as Glenn. How old will John be two years from now?

In 5 Now John 22 - N 27-11 n+5 Glenn h

27-n = 3(n+5)27 - n = 3n + 1512 = 411 n = 3




John now (22-n) = 19 In two years: 19+2=21 2 years old

60 Dean is seven years older than Jerry. Five years ago, Jerry was half Dean's age. How old was Jerry last year?

|       | Now | 5 ago |
|-------|-----|-------|
| Dean  | n+7 | n+2   |
| Jerry | n   | n-5   |

n+2=2(n-5)n+2=2n-10 12 = 1



last year: 12-1=11 11 years old

### Lesson 1.3

### **EVALUATING & SIMPLIFYING ALGEBRAIC EXPRESSIONS**

Evaluate each expression: a = -1, b = -3, c = 2

- 1•  $3ab c^2$   $3(-1)(-3) - (2)^2$  $(9) - (4) = \boxed{5}$
- 2• 3(2a-b)-ac 3(2(-1)-(-3))-(-1)(2) 3((-2)+3)-(-2)3(1)+(2)=5
- $3 \bullet \frac{-2a^{3}b}{a^{2}c}$   $\frac{-2(-1)^{3}(-3)}{(-1)^{2}(2)} = \frac{-2(-1)(-3)}{(1)(2)}$   $\frac{-6}{2} = \boxed{-3}$



Simplify each expression:

- 4● 5×-3y-2×+9y 3×+6y
- 5 → 3(x+2y) 4(2x-y) 3x + 6y - 8x + 4y -5x + 10y
- 6  $4a^2 2a(a+b) 3ab$   $4a^2 - 2a^2 - 2ab - 3ab$  $2a^2 - 5ab$



- 7•  $2 \times (3x y) 3y (x + 2y)$   $6 \times^2 - 2 \times y - 3 \times y - 6y^2$  $6 \times^2 - 5 \times y - 6y^2$
- 8•  $4a^2-3a(2a-b)+2a(q-3b)$   $4a^2-6a^2+3ab+2a^2-6ab$ -3ab

## Problems IDENTIFYING PROPERTIES

Identify the property:

- 1) If a=7 and 7=e, then a=e
- $2 |5a^2 + 0| = 15a^2$
- 3 a(bc) = (ab)c
- 4 2x+y = y+2x
- (x+y)2 = (x+y)2
- 9 3a (a+2b)=3a2+6ab
- 1 If x=y then y=x
- $9 3a^2b \cdot 0 = 0$
- 1 2.03 + 48 = a rational no.
- (1)  $49 \times^2 y = 7^2 \times^2 y$
- 1 ×y=yx
- (3) (4ab) + (-4ab) = 0
- (H) n+(m+p)=(n+m)+p
- (5)  $8 \times y^2 = (1)(8 \times y^2)$
- (6) ab + (c+d) = ab + (d+c)
- $\bigcirc$  If  $3n^2 = ab$  and ab = c, then  $3n^2 = c$

- (8)  $4(xy^2) = (4x)y^2$
- (9) 3(2a-b) = 3(2a-b)
- $\textcircled{a} \ a^2 3ab = a \ (a 3b)$
- (2) 0 = (0)(-3xy)
- ② If a+b=c, then 3(a+b)-1=3c-1
- $\textcircled{3} \ 0 = (-5a^2) + 5a^2$



- (2a-b)(1) = 2a-b
- 3 x + (y+z) = (y+z)+x
- (3n)(n-1) = (n-1)(3n)
- (ab+bc)+d
- (-9)(-12) = an integer
- $(3xy)(\frac{1}{3xy})=1$
- 31) 4a+12=12+4a
- 32 9nm = 0 + 9nm (continued)

- 33 24xy-6=24xy-(8-2)
- 34) 8abc = 8abc
- 33 If 4x = y and  $y = n^3$ , then  $4x = n^3$

# 12 Problems ALGEBRAIC EXPRESSIONS & PROBLEM SOLVING

Write an algebraic expression for each:

- 1 A number decreased by nine
- 2) Twice a number increased by fourteen
- 3) Two less than four times a number
- 1 The product of a number increased by five and three less than four times the number.



- Define a variable, establish a key (as needed), and solve:
- (5) A number decreased by 19 is 83. Find the number.
- 6 67 decreased by twice a number is 39. Find the number.
- 1) How old is Tyrone if twice his age increased by 17 is 53?
- 8 Twenty-seven years ago, Clarice was 21. How old is she now?
- 9 Bill is five inches taller than Bob and the sum of their heights is 137 inches. How tall is Bob?
- 10 Twice Mary Lou's height increased by 17 inches is 141 inches. How tall is she?
- 1) Bob's dad is twenty-seven years older than Bob. The sum of their ages five years ago was forty-five. How old is Bob now?
- 12) The sum of the ages of Mrs. Black and her daughter is fifty -six. Eight years from now, Mrs. Black will be twice her daughter's age. How old is her daughter now?
- (B) The sum of Bill's age and Roy's age is fifty. Five years ago, Bill was exactly three times Roy's age. How

old will Bill be next year?

- Alice is twenty-two years older than Gert. Three years ago, Gert was exactly half Alice's age. How old is Gert this year?
- (15) Sheila is the same age now that her sister was two years ago. Next year, the sum of their ages will be forty-two. How old is Sheila's sister this year?

## 1.3 Problems

### **EVALUATING & SIMPLIFYING ALGEBRAIC EXPRESSIONS**

Evaluate each expression a = -2, b = 2, c = -1

- 1 3a-2b
- 3 b-3c
- 3 2ab-c2
- 9 4ac + b3
- 3 2a (b-c)
- 33a+2bc3
- (6) 3b(2c-2a)
- 9 3a (a-c)
- 7 4a2b-2ac
- (10)  $b^2(2c+3a)$

- 10 <u>2ab</u> 3a²c
- 12 <u>-3bc</u> ac³
- 3 a2c-2abc
- 1 -3ab-2c4



Simplify each expression:

- (5) 3n-m + 4n + 6m
- (6) 2a 3b 5a + b
- 17) 2(x+y)-3x
- (B) 4n-2(m-3n)
- (1) 2×2-3×y+2×(x-y)
- @ 3a (a+b)-2ab-a2
- ② 4(2a-1)-3(2-a)
- 20 -3 (b-2) +4(3-2b)
- 3 a-3b (a-1)+b
- 到 2x-3x(y-2)+3xy

#### Review

Write an algebraic expression for each:

- 25) Three less than twice a number
- @The product of a number

increased by one and twice the number decreased by seven

Define a variable, establish a key (as needed), and solve:

- Due is eight years older than Mary. In four years, Mary will be half Sue's age. How old was Mary last year?
- 28) The sum of Bart's age and Jim's age is thirty. Nine years ago, Bart was twice as old as Jim. How old is Bart now?



Identify the property:

$$2 \frac{2}{3ab} \cdot \frac{3ab}{2} = 1$$

## Unit 1 REVIEW PROBLEMS



Identify the property:

- $\bigcirc$  4a -3 = 4a -3
- (2)(16) = a whole number
- 3 14xy ·1 = 14xy
- 4) If 3x = 2y and 2y = 2, then 3x = 2
- 6 9abc = (5+4)abc
- $\bigcirc$  2a + (x+2y)= (x+2y)+2a.
- 8 12n = 0 + 12n
- 9 4a (a+b) = 4a2+4ab
- (ab)(3x) = (3x)(ab)
- 12 If  $4xy = y^2$ , then  $y^2 = 4xy$
- $\oplus$  7a + 2b = 2b + 7a
- (5) 0=2n·0
- 665 + (2x + 3) = (5 + 2x) + 3
- ① If  $3n = m^2$ , then  $3n 2mp = m^2 2mp$

Write an algebraic expression:

- 18 Three less than five times a number
- 19 Twice a number increased by seven
- The product of a number decreased by nine and three times the number
- 2) The sum of twice a number and two less than four times the number

Define a variable, establish a key (as needed), and solve:

- 2) Twice a number decreased by twelve is two. Find the number.
- 3 Three more than four times a number is twenty seven. Find the number.




Off Simon is four years older than Art. Six years ago, Simon was three times Arts age. How old will Simon be in two years?

- Betty is six years younger than Jean. Four years ago, Betty was half Jean's age. How many years from now will Jean be twenty-one years old?
- Jennifer and Liz are sisters. The sum of their ages is fourteen. Two years from now, Jennifer will be twice as old as Liz. How many years older is Jennifer?
- The sum of the ages of Evan and Krista is twenty-four. Six years ago, Evan was three times as old. How old was Krista last year?

Evaluate each expression: x=-1, y=-2, z=3

- 28 5xy- 22
- @ 2x2y-42
- ③ 3(x-2y)-y²
- 3) 4y-2 (2x+y)
- 3×3-43
- ③ 2×y-x3≥
- $\frac{-2x}{3x^2z}$



continued

Simplify each expression:

$$(38)$$
 2(3n-m)-2n+m

$$(46)$$
  $2x(x-2y)-3(x^2+1)$ 

## Unit 1 SKILL CHECK

Identify the property:


① 
$$(4\times y^2)(1) = 4\times y^2$$

$$2\frac{2x^2}{3ab} = \frac{2x^2}{3ab}$$

$$\oplus$$
 If  $a^2b=c$ , then  $c=a^2b$ 

write an algebraic expression:


5) The product of two less than twice a number and three more than the number



Define a variable, establish a key (as needed), and solve:

- 6 Twelve less than four times a number is sixteen. Find the number.
- The sum of Ben's age and Bill's age is twenty-four.
  Six years ago, Bill was twice as old as Ben. How old will Ben be on his next birthday?

Evaluate each expression: X=-3, Y=-1, Z=2





Simplify each expression:

$$\textcircled{3}$$
 a(3a-b)-ab-2(a2-b) continued

#### Solve:

(H) Three years from now, Jenny will be twice Craigs age. Two years ago, Jenny was seven times as old as Craig. What is the sum of their ages right now?


## Unit 1 REMEDIATION

Identify the property:


- 0 + x + 3y = 3y + 4x
- 2 a (ab) = (aa) b
- 3 2b2 (1/2b2)=1


write an algebraic expression:

5) The sum of three more than a number and five less than four times a number



- Define a variable, establish a key (as needed), and solve:
- 6 Three more than twice a number is twenty-five. Find the number.
- The Ann is twice Murray's age. Eight years ago, Ann was four times Murray's age. How old was Murray two years ago?





Evaluate each expression: a=2, b=-2, c=-3

- ② 2 (3b-c)
- 9 3ab²-2b³
- 16 3ac 2 (bc-a)

Simplify each expression:

- 1 2xy 3z(x-2)+z-xz
- (1)  $2a(a-ab)-3a^2(2-b)-a^2b$
- 13 4x (x-2y)-xy-3(x2+xy)

#### Solve:

(H) Four years ago, Tom was four times as old as Jerry. Two years from now, Tom will be twice Jerry's age. How old was Tom last year?



## Unit 1 EXTRA PRACTICE

Identify the property:

- ① If  $n^2 = 3x$  then  $3x = n^2$
- $2\frac{3n}{5} \cdot \frac{5}{3n} = 1$
- 3 If a=b and b=c then c=a
- (5xy)(0)=0
- 6 4a +3b = 3b+4a

$$63x^2 + 0 = 3x^2$$

Write an algebraic expression for:

- Twelve less than three times a number
- B The product of four less than twice a number and five more than the number

Define a variable, establish a key (as needed), and solve:

- 9 Four less than twice a number is sixteen. Find the number.
- 10 Dennis four years younger than Margaret. Six years ago, Margaret was three times as old as Dennis. How old was Margaret last year?
- The sum of Dobie's age and Maynard's age is thirty-five. Five years from now, Dobie will be twice Maynard's age. How old is Maynard now?

Evaluate each expression: X=-1 y=-2 z=-3

1 2x+4

3y2-22

(4) 3 (x+2)-2y

16 2 xy ≥ - x3

Simplify each expression:

16 3x - 2y + x - 4y

1 3a-2(4a+3)-5

 $82y^2-4y(x-2y)+6xy$ 

Solve:

Three years ago, Mike was three times Tony's age. Three years from now, Mike will be twice as old as Tony. How old is Mike now?

Simplify:

20 4a2-5ab+2a(b-3a)-3(a2+2ab)





### Solving Equations

## Lesson 2.1 MULTIPLY & DIVIDE TO SIMPLIFY EXPRESSIONS

Use the distributive property to simplify:

$$1 \bullet \frac{2}{3} (9a - 12b) - \frac{3}{4} (8b + 12a)$$

$$6a - 8b - 6b - 9a$$

$$\boxed{-3a - 14b}$$

Simplify each expression:

$$3 \bullet \frac{12 \times -89}{4} = \boxed{3 \times -29}$$

$$4 \bullet \frac{-14n + 20m}{4} = \boxed{\frac{-7n + 10m}{2}}$$

$$5 \bullet 16a - 12b = -4a + 3b$$

## Lesson 2.2 SOLVING EQUATIONS & WORKING WITH VARIABLES

Solve each equation:

$$\frac{2n-3}{5} = n+3$$

$$2n-3 = 5n+15$$

$$-3n = 18$$

$$n = -6$$
GARFIELD

2• 
$$4(x-3) = 2x-2(5-x)-2$$
  
 $4x-12 = 2x-10+2x-2$   
 $4x-12 = 4x-12$   
 $-12 = -12$   
Identity  
All Solutions

$$3 \cdot 8 - 3(a - 1) = a - 2(2a + 1)$$
  
 $8 - 3a + 3 = a - 4a - 2$   
 $11 - 3a = -3a - 2$   
 $11 = -2$  False Equation  
No Solutions

$$4 \circ \frac{3n-2}{7} = \frac{4(n+3)}{2}$$


$$\frac{3n-2}{7} = \frac{4n+12}{2}$$

$$2(3n-2) = 7(4n+12)$$

$$6n-4 = 28n+84$$

$$-22n = 88$$

$$n = -4$$



6 Solve for n:
$$\frac{2a+n}{c} = b$$

$$2a+n = bc$$

$$n = bc-2a$$

7. Solve for a:  

$$ab-c = 3a-2b$$
  
 $ab-3a = c-2b$   
 $a(b-3) = c-2b$   
 $a = \frac{c-2b}{b-3}$ 



$$a = \frac{c-2b}{b-3}$$
 for  $b \neq 3$ 

## Lesson 2.3 INTEGER PROBLEMS

For each problem, define a variable and use an equation to solve:

10 Twice a number decreased by six is forty-four. Find the number.

n = the number

$$2n - 6 = 44$$
  
 $2n = 50$   
 $n = 25$ 



20 Four times a number decreased by two less than twice the number is twelve. Find the number.

$$4n - (2n - 2) = 12$$
 Be sure  
 $4n - 2n + 2 = 12$  to use  
 $2n = 10$  in the  
equation

3 A rectangle is 5cm longer than it is wide. The perimeter is 42 cm. Find the area.



$$2(n) + 2(n+5) = 42$$
  
 $2n + 2n + 10 = 42$   
 $4n + 10 = 42$   
 $4n = 32$   
 $n = 8$ 

Sides: 
$$N=8$$
  $N+5=13$  area:  $8 \cdot 13 = 104 \text{ cm}^2$ 

40 Find the middle of three consecutive integers if twice the smallest decreased by three times the largest is 0.



$$\begin{array}{r}
-6 \times \\
-5 \times + 1 \\
-4 \times + 2
\end{array}$$

$$2(x) - 3(x + 2) = 0$$

$$2x - 3x - 6 = 0$$

$$-x = 6$$

$$x = -6$$

## Lesson **2.4**RATIO, PROPORTION, AND PERCENT

Find  $4\frac{5}{8}\%$  of 80

Part  $n = \frac{4.625}{100}$ 100 n = 370  $n = \boxed{3.7}$ alternate method:  $4\frac{5}{8}\% = .04625$ .04625  $\times$  80 =  $\boxed{3.7}$ 

20 \$2142.25 is 104±% of what?

part 
$$21+2.25 = 104.5$$
  
whole  $n = 100$   
 $104.5 n = 21+225$   
 $n = 2050 = 42050$ 

3 ● Jack paid \$25.92 for a briefcase on sale for 20% off. How much did he save?

purchase pr. 25.92 = 80 original pr. n = 100

80n = 2592 n = 32.4

org. pr. - purch. pr. = 5av. \$32.40 - \$25.92 = \$6.48

4 Al earns \$275 per week in salary plus 8% commission on all sales. How much must he sell during a three week period to take home a total of \$2305?


n = amount of Sales

.08n + 3(275) = 2305

.08n + 825 = 2305

.08n = 1480

n = 18,500 \$18,500



# **2.1** Problems MULTIPLY & DIVIDE TO SIMPLIFY EXPRESSIONS

Use the distributive property to simplify each expression:

- (1)  $\frac{1}{2}$  (6x+8y)  $-\frac{1}{3}$  (6x+9y)
- 2) = (21x+35a)++ (35x-21a)
- ③ 3 (4a-12b)+ \$(16a+48b)
- ④ 등(-24a+36b)+ 글(60a-42b)
- ⑤ 支(えの+えり)+え(えのーみり)
- ⑥ 之(言a-音b)-音(音a-之b)

Simplify each expression (if possible):

- $9 \frac{3a+9}{3}$
- 8 6x+24
- $9 \frac{7a+35}{57}$
- (b) 14n-56
- ① 25x+14
- ② <u>-3n-8</u>



- $\frac{-12}{16n-8x}$
- (H) 15x-10y
- 15 14n-10m
  - 6 20a-30b

# 2.2 Problems SOLVING EQUATIONS & WORKING WITH VARIABLES

Solve each equation:

① 
$$\frac{4x+5}{7} = 7$$

$$2\frac{4n+8}{16}=7$$

3 
$$\frac{3n-5}{-7} = n+5$$

$$\frac{4}{2}$$
  $\frac{2\times+6}{2}$  =  $3\times+11$ 

(5) 
$$3-4x = 10x + 10$$

$$63x-5=7x+7$$

$$\bigcirc$$
 17+2n = 21+2n

$$(8)$$
 -5x-1 = -5x-1

$$9 -3(n+5) = 3(n-1)$$

(1) 
$$4(2a-1) = -10(a-5)$$

$$\widehat{\mathbf{W}}$$
 -2(2x-3) = 6-4x


$$\bigcirc$$
 5n+4 =  $7(n+1)-2n$ 

$$\frac{1}{3} \frac{2n-6}{3} = \frac{3(n+2)}{2}$$

$$6 \frac{5x-4}{6} = \frac{4(2-x)}{-8}$$

Solve each equation for x:

$$\bigcirc$$
 x+r=2d



## 2.3 Problems

#### INTEGER PROBLEMS

For each problem, define a variable and use an equation to solve:

- 1) Twice a number increased by four times the number is ninety-six. Find the number.
- 2 Twice a number increased by twelve is thirty-one less than three times the number. Find the number.

- 3 A number decreased by five less than twice itself is nine. Find the number.
- Five times a number decreased by four more than twice the number is 119. Find the number.
- B A rectangular playground is 60m longer than it is wide. It can be enclosed by 920m of fencing. Find its length.
- 6 A soccer field is 75 yards shorter than 3 times its width. Its perimeter is 370 yards. Find its dimensions.
- The Brad bought a used bike for \$8 more than half its original price. Brad paid \$40 for the bike. What was the original price?
- (8) The lengths of the sides of a triangle are consecutive odd integers. If the perimeter is 27 cm, find the longest side.
- Tind four consecutive even integers such that twice the least increased by the greatest is 96.
- © Find the largest of four consecutive odd integers such that the sum of the first and twice the second is 175.

#### Review

Simplify each expression:

- 1) = (-6x-3y) + (4y+8x)
- ② <u>-28×+35y</u> -21

Solve each equation for x:

- 1 2a+8x+b=ax
- $\frac{1}{100} \frac{100}{100} = \frac{2(2-x)}{7} = \frac{2(2-x)}{5}$



# 2.4 Problems RATIO, PROPORTION, AND PERCENT

Solve each problem:

- 1) 28 is 20% of what number?
- 2) 37 is what percent of 296?
- 3 Find 4.3% of \$6070.
- (4) Find 68 % of \$9.40.

- (5) \$7030.50 is 107 \( \frac{1}{2} \) of what?
- 6 \$54,000 is 108 = % of what?
- 7 Find 0.1% of \$5000
- 3 90 is 60 % of what number?
- 9 Janice scored 85% on the last test. She answered 34 questions correctly. How many guestions were on the test?
- D In a 180 kg sample of ore, there was 3.2% metal. How many kg of metal were in the sample?



- (11) Henry paid \$21.45 for a video that was on sale for 25% off. How much did he save on the purchase of the video?
- ② Sandra saved \$2.72 on a sweater that was marked clown 8%. How much did she pay for the sweater during the sale?
- 3 June earns \$125 per week in salary and 8% commission on all sales. How much did she sell in order to earn \$200 in one week?
- (4) Vic earns \$320 per week in salary and 5.5% com-

- mission on sales. How much did he sell to earn \$551 in one week?
- (B) Charlie earns \$215 each week and 6% commission. How much did he sell to take home \$975 during a 3 week period last month?
- B kevin earns \$190 per week plus 7.5% commission. How much did he sell to take home \$665 during a 2 week period?

#### Review


Simplify each expression:

Solve each equation:



- (9)  $3(4n-2) = \frac{2}{3}(9n-9)+6n$
- $\frac{20}{7} = \frac{5x+4}{8}$

solve for a:





2) A rectangle has a length 4 inches more than twice its width and a perimeter of 56 inches. Determine the area.

23 Find the largest of three consecutive integers if three times the smallest decreased by twice the middle one is four.

#### Unit 2 REVIEW PROBLEMS

Simplify each expression:

2) 
$$\frac{1}{2}$$
 (4a-3b)- $\frac{1}{4}$  (6b+8a)

$$3 \frac{-10 \times -15 y}{-5}$$

$$\frac{-26m + 18n}{12}$$

Solve each equation:

$$8 \frac{-2x+5}{5} = 2x+13$$

$$\bigcirc 5(6-3x) = 3(x+4)$$

$$\bigcirc$$
  $\bigcirc$   $\bigcirc$   $\bigcirc$  (5n-4) = 2n-1

$$\frac{(4)}{-3} = \frac{5n+7}{12}$$


Solve for x:

$$\bigcirc 2y + 3ax = 4y + x$$

For each problem, define a variable and use an equation to solve:

- 1) Twice a number decreased by three more than four times the number is negative thirteen. Find the number.
- (B) A number decreased by five less than twire itself is seven. Find the number.
- (9) The length of a rectangle is two less than three times its width. If the perimeter is 28 cm, what is the area?

20 In an isosceles triangle, the congruent sides are three more than twice the base. Find the measure of the base if the perimeter is 41 inches.




- 2) Find the second largest of four consecutive integers if the smallest increased by three times the largest is 17.
- Determine the largest of three consecutive integers if the largest decreased by one more than twice the smallest is 8.
- 3 Find the middle of three consecutive odd integers if twice the largest decreased by the middle one is thirteen.
- Find the largest of three consecutive even integers if three times the smallest decreased by twice the largest is equal to two.



Solve:

- 24 is what percent of 64?
- @ Find 25% of 85.
- 27 \$210.75 is 1053 % of what?
- 28 \$149.10 is 106 \$ % of what?
- @ A radio was on sake for 10% off. If Bob paid \$30.60 for the radio, what was the original price?
- 30 Marty saved \$5.40 on a jacket that was marked down 15%, thow much did Marty pay for the jacket?
- 3) Christopher is paid \$170 per week in salary and 12% commission on sales. What are his sales if he takes home \$918 during a three week period?



3) Maggie earns \$205 per week and 7½% commission on sales. If she took home \$620 during a two week period last month, determine her sales during that period.

#### Unit 2 SKILL CHECK

Simplify each expression:

①  $\frac{2}{5}(10a-15b)-\frac{1}{3}(6b+3a)$ 

② 
$$\frac{-8x-12y}{-6}$$



Solve each equation:

$$3 \frac{4x-2}{3} = x+1$$

$$\frac{3}{4}(n-2) = n$$

$$5$$
 2(5×-3) = 7(x-1) + 3×

$$6) \frac{3(2n-4)}{4} = \frac{4n-4}{2}$$

Solve for x:

$$8 \times y - 2n = 3x + 5$$

Solve:

- 9 The length of a rectangle is three times the width and the perimeter is 32 inches. Find the area.
- Find the middle of three consecutive integers if the largest decreased by two

more than twice the smallest is ten.

- 1 Find 43 % of 120.
- 12 \$84.40 is 105 \ % of what?
- 13 Jan paid \$21.12 for a radio on sale at 12% off. How much did she save?
- H Terry earns \$230 per week plus 6½% commission on sales. How much must she sell over a three week period to take home \$976?





## Unit 2 REMEDIATION

Simplify each expression:

Solve each equation:



$$3 \frac{3n-7}{2} = 2n-6$$

$$\frac{1}{2}(3x-4) = x-7$$

$$(5)$$
  $+(a-3) = 2(3a-6)-2a$ 

$$6\frac{2(5n-1)}{-8} = \frac{3n+1}{-2}$$

Solve for n:

$$\otimes$$
 nm + x = xy - 2n

#### Solve:

- The perimeter of a rectangle is 26 m. the length is one less than six times the width. Find the dimensions.
- 1 Find the largest of four consecutive odd integers

if three times the largest decreased by two more than twice the smallest is eleven.

- 1 Find 67% of 54.
- 1 \$7.75 is 12 1 % of what?
- B Sam saved \$2,90 on a CD that was on sale for 20% off. How much did he pay?
- (H) Bill earns \$125 per week
  plus 84% commission on
  all sales. How much did he
  sell in a four week period
  if he earns a total of \$599?





## Unit 2 EXTRA PRACTICE

Simplify each expression:

- (1) = (1) \frac{1}{3}(12x 9y) \frac{1}{3}(6x + 3y)
- 2 15a-20b
- 3 -12x -10y

Solve each equation:

- $\frac{4n-2}{7}=-2$
- (5) 4(2x-5)=2(4x+3)
- @3(x-4)=2(3x-8)-2
- $\frac{3}{4}(2n-2) = 2(n+1)-2$
- 3n-2(4n+1)=8-5(n+2)
- $\frac{4a-3}{7} = \frac{-3(a+2)}{3}$

Solve for x:

005a+2x=3c

#### Solve:

- (1) Four times a number decreased by eight is negative twenty. Find the number.
- 12) The length of a rectangle is two less than three times the width. The permeter is 20 inches. Find the dimensions.


- (B) Find the largest of three consecutive odd integers if the largest decreased by twice the smallest is sixteen more than the middle one.
- (1) 8 is what percent of 40?
- 1 Find 2 1 % of 80.
- \$32.40 is 60% of what?
- D Selena paid \$15.30 for a DVD that was on sale for 15% off. What was the original price?
- 18) Paul earns a salary of \$310 per week plus 6% of his sales. Determine his sales if he takes home \$1122 over a three week period of time.

Solve for x:

(9) 2a + bx = 7 - cx

#### Solve:

@ Find the middle of three consecutive integers if three times the smallest decreased by twice the largest is two more than twice the smallest.



### Solving Inequalities

## Lesson 3.1 SOLVING INEQUALITIES & GRAPHING SOLUTIONS

Solve each inequality and graph the solution:

 $1 \circ 2(n+5) \leq 4n+16$   $2n+10 \leq 4n+16$  $-2n \leq 6$ 




 $2 \bullet 2x + \frac{3x}{5} < x - 8$ 

10x+3x < 5x-40 13x < 5x-408x < -40

 $3 \bullet 4 \times -5 > 2(4 \times -5)$ 

4x-5 > 8x-10-4x > -5



 $4 \bullet \frac{2(n-3)}{3} \ge \frac{4-4n}{-5}$  Change denominator to positive value  $\frac{2n-6}{3} \ge \frac{4n-4}{2}$ 

 $\frac{3}{5} = \frac{115}{5}$   $5(2n-6) \ge 3(4n-4)$   $10n-30 \ge 12n-12$ 



 $-2n \ge 18$ 







50 4(3n-5) < 2(6n-3)

12n-20 < 12n-6 -20 < -6 Identity


All Solutions





6 (3n-5) ≥ 2 (9n) 18n-30 ≥ 18n -30 ≥ 0 False Inequality

No Solutions



## Lesson 3.2 GRAPHING UNIONS & INTERSECTIONS

Write each compound sentence without "and":

1 -6<n and n ≤ 2


-6<n <2


20 × > 1/4 and × < 9/2

11/4 < x < 9/2

Graph the solution for each and identify as a union or intersection:

30 ×>5 of ×<-1





50 a≥5 and a≤2

Intersection

There are no points  $\geq 5$  and  $\leq 2$ . No solutions.

60 ×≤2 and ×≤-3

Intersection

The solution should be written as  $x \le -3$ . These points satisfy both inequalities.



70 × ≤ 2 os × ≤ -3

Union

These points satisfy one inequality or the other.

#### 8 a>-3 of a≤2


#### Union

All points satisfy one inequality or the other.





Put each inequality in final form and graph the solution:


x<4 of x>9




 $10 \bullet n-4 < 2n-4 \le n+2$   $n-4 < 2n-4 \text{ and } 2n-4 \le n+2$ 0 < n and  $n \le 6$ 







 $110 \times \neq 2$  and 3x-1 > -133x > -12x > -4



120 x-5 < x-8 ≤ x+3

 $\times$ -5< $\times$ -8 and  $\times$ -8  $\leq$   $\times$ +3 -5<-8 and -8  $\leq$  3 (False) (True)

Since this is an intersection, only points that satisfy both irregualities are solutions.





13● 2n-4>-4 of n+5≥8


2n >0 os n≥3 n>0

n>0 This one inequality describes the union

Write the compound sentence or inequality for each graph:







## Lesson 3.3 PROBLEM SOLVING WITH INEQUALITIES


Use an inequality to solve:


Ine car wash fund raiser earns a profit of \$1.50 on each car. How many cars must be washed to earn at least \$85?

n = number of cars washed

1.50**n≥85** n≥56.6

At least 57 cars





$$18 < 3n-5$$
 and  $3n-5 < 27$   
 $23 < 3n$  and  $3n < 32$   
 $\frac{23}{3} < n$  and  $n < \frac{32}{3}$ 

$$\frac{23}{3}$$
 < n <  $\frac{32}{3}$ 

Possible integer values:




3 The sum of two consecutive positive odd integers is at most 23 and at least 11. What are the integers?

$$11 \le (n) + (n+2) \le 23$$

$$11 \le 2n+2$$
 and  $2n+2 \le 23$ 

$$\frac{9}{2} \le n$$
 and  $n \le \frac{21}{2}$ 





nis odd: must be 5,7,009


$$\begin{array}{c|c}
 n \\
 n+2 \\
 \end{array}
 \begin{array}{c|c}
 \hline
 5 \\
 7 \\
 \hline
 9 \\
 \hline
 11
 \end{array}$$

### Lesson 3.4


#### **EQUATIONS & INEQUALITIES** WITH ABSOLUTE VALUE

Solve and graph:


1● |×|=4



20 | n-3 | -2 =5



n-3=7 of n-3=-7




Absolute Value:

Equation = Union Inequality < Intersection Inequality > Union


3 | 19+3 | < 6 y+3<6 and y+3>-6 y<3 and y>-9 -9< y<3 Intersection

> Always put an intersection in compound inequality form.




40 18-2×1≥4 8-2×24 of 8-2×4-4 -2×2-4 of -2×≤-12 X 52 of X 26 Union

50 | n+3 | +8 ≤ 4 14+31 < -4 An absolute value cannot be less than or equal to a negative value.



60 19+31+271 14+31 >-1 An absolute value is always greater than a negative.



### MORE PRACTICE WITH ABSOLUTE VALUE

This section provides more practice with absolute value equations and inequalities.

# 3.1 Problems SOLVING INEQUALITIES & GRAPHING SOLUTIONS

Solve each in equality and graph the solution:

① 
$$3n-2 < 2(n-3)$$

② 
$$4(2x-1) \ge 6x-10$$

3 
$$3x+5 \ge 35-2(2x+1)$$

$$\oplus$$
 4n-19 < 57-3(3n-5)

$$(5)$$
  $3a+4>5(a+3)-7$ 

$$6 + + 9 > 3(2 \times + 4) + 7$$

① 
$$2a + \frac{4a}{3} \le 3(2a+1)+5$$

$$9 \frac{2(n+3)}{5} > \frac{2+n}{-3}$$

$$\frac{6}{6} \times \frac{2(x+3)}{3}$$

① 
$$\frac{2a}{3} - a \ge 3(4a-1)$$

$$\frac{1-n}{-5} \leq \frac{2(n-1)}{10}$$

# 3.2 Problems GRAPHING UNIONS & INTERSECTIONS

write each compound sentence without "and":

(4) 
$$m < \frac{-6}{5}$$
 and  $m > -\frac{13}{7}$ 

Graph the solution and identify as a union or intersection:

$$\bigcirc$$
 -3 < n < 3


continued



Put each inequality in final form and graph:

- 9 3+x<-4 of 3+x>4
- 10 -1+b>-4 or -1+b<3
- $\bigcirc$  -5 < 4-3x < 13
- (B) -3 -x ≤ 2x ≤ 3+x
- 3 2x-1 < 2x+8 < 2x+4
- (14)  $n-1 < 2n+3 \le n+4$
- (5) x \$ 6 and 3x+1>10
- (b) 2x+4≤6 of x≥2x-4

Write the compound sentence or inequality for each graph:











# 3.3 Problems PROBLEM SOLVING WITH INEQUALITIES

Use an inequality to solve:

- 1) The Daily Herald pays 15¢ per paper delivered by its first year carriers. How many papers must be delivered for a carrier to earn at least \$5.30?
- 2 A bookstore makes a profit of \$4.30 on each two-volume set of sports books. How many sets must be sold for the store to make a profit of at least \$175?
- 3) Duane earns \$12,000 per year plus 6% commission on sales. How much did he sell if his income was between \$21,000 and \$27,000?
- (4) If four times an integer is increased by three, the result is between thirteen and twenty-five. What is the integer?
- 5) The sum of two consecutive positive odd integers is at most 18. What are the integers?
- 6 The sum of two consecutive positive even integers is at most 22. What are the integers?

#### Review


Solve the inequality:

Put the inequality in final form and graph:


- 9 3-2x<5 & 3x-1>-10
- 1 5n+2≥17 and n≠7
- ①  $n-4 < 2n+1 \leq n+10$
- 1 2a+1>11 of 3a < a-6



write the compound sentence or inequality for each graph:









# 3.4 Problems EQUATIONS & INEQUALITIES WITH ABSOLUTE VALUE

Solve and graph:

- 1×+4 = 6
- @ 19+11=5
- 3 |x|+7=12
- 4 In1-4=3
- 5 1y-11<4
- @ In+3 | +7>5
- @ 12-x1≤1
- 14x+4 +2 £ 22
- (7) |12-3×|≥12
- 12 16×+61-3 ≤ 33
- 8 14+11>4
- (B) |2x+1| +3 ≥ 1
- 9 |x-3|+5 \le 2
- (4) |10x+10|-1≥89

#### Review

Put each inequality in final form, identify as a union or intersection, and graph:

- (B) 3n+1<4 of 2n-1≥7
- (B) 3x-2 ≤ 5x+4 < 3x+12 m/2 x≠0

Use an inequality to solve:

(17) Five times an integer decreased by seven is at <u>kast</u> (continued) 22 and at most 34. Find the integer.

13) The sum of two consecutive odd integers is between -5 and +13. What are the integers?

# 3.5 Problems MORE PRACTICE WITH ABSOLUTE VALUE

Solve each equation or inequality and graph the solution:

- 1 14n-21-1<9
- 2|x-5|-3>2
- 3 |2n-1| ≥ 5
- ⊕ |3y+2| ≤ 5
- (5) 14-2×1+3 ≤ 2
- 6 | 2n+1/-3=8
- 1 14x 1-2 = 6
- 8 |3n-2|+4>2

<u>Review</u> Solve and graph:


9  $\frac{3(n-3)}{4} < \frac{n-6}{-2}$ 

write the compound sentence without "and":

(1) x ≥ -8 and x <0

Write the compound sentence:





Put the inequality in final form and graph:

B 2n-1 < 3n+6 < 2n+8 and n+-2

Use an inequality to solve:

- (H) Sherwin earns \$18,000 per year plus 5% commission on all sales. How much did he sell if his income was between \$21,600 and \$24,500?
- (b) Three times an integer decreased by four is at least 21 and at most 37. Find the integer.



## Unit 3 REVIEW PROBLEMS

Solve each inequality and graph the solution:

① 
$$4(n-3) \leq 2(3n-5)-6$$

② 
$$3(2x+1) > 4(3+3x)+3$$


$$\oplus$$
  $\frac{20}{5} + 1 < 3 (n-5) - n$ 


$$\frac{6}{3} \frac{2(x+4)}{3} > \frac{x+7}{2}$$

$$\bigcirc \frac{-2(n+5)}{8} \leq \frac{4-3n}{-7}$$

$$8 n-3 \ge 4n-3(n+1)$$

Write each compound sentence without "and":








Put in final form and graph:

- 1 2n-1>5 or 4-3n>-2
- 1 4(x+1) >-8 of 9-5x<-1

- 3n+4 <3n-2 <3n+1
- 1 n-5 £ 2n+1 £ n+4
- 1 3a+4<-5 and -2a>4
- (6)  $4x \ge 2x + 4$  and  $-3(2x 1) \le 3$
- 1 3n-1 < 4n+4 < 2n+8
- 18 2x-2 >4 of 3x-1<14
- @ x-1 < 2x < x+4 and x = 0
- (20)  $3x-1 \le 11$  and  $x \ne -2$

Write the compound sentence and identify as a union or intersection;











Use an inequality to solve:

- Dy Twice an integer increased by four is between 17 and 27. What is the integer?
- 60 Three times an integer


decreased by four is between -9 and +1. Find the integer.

- 27 Andrew earns \$15,200 plus 6% commission on sales. What are his sales if he takes home between \$16,400 and \$18,200?
- 28) Betty earns \$11,100 plus
  7% commission on sales.
  If she takes home between \$12,780 and \$16,280,
  what were her sales?
- 29 The sum of three consecutive integers is at least 17 and at most 26. what are the integers?
- The sum of three consecutive even integers is at least -1 and at most +20. What are the integers?

Solve and graph:

- 3) In+1]+4=7
- 3 12x-41-3=5
- 33 13a-21+4<3
- 3+ 12n+31+4 22
- 85 la+41 > 2
- 3 |2n-1 | 2 5
- 37) |×-6|-2 ≤ 10
- 38 12a+41+1 < 13







### Unit 3 SKILL CHECK

Solve and graph:

- ① 3(n-1) > 4n-7
- ②  $\frac{n}{2} + 4 \le 2(n-1) \frac{3n}{2}$
- $\frac{3}{3} < \frac{3\times+1}{4}$

write as a compound sentence without "and":

⊕ 2a<6 and 3a ≥ -9

Put in final form and graph the solution:

- 6 3n-5 <4n+6 < 2n+8
- 6  $4(x+4) \le 4x+8 \le 2(2x+5)$
- 9 3n+4 ≤ -2 of 2n-5≥3

write the compound sentence and identify as a union or intersection:


Use an inequality to solve:


9 Four times an even integer decreased by three is between -12 and 7. Find the integer.

- 10 Larry earns 8% commission on sales plus a salary of \$16,000. If he takes home between \$16,960 and \$21,600, what were his sales?
- 1) Find two consecutive odd integers if twice the first decreased by the second is at least 2 and at most 8.

Solve and graph:

- (2) x-3 ≤ 3x+5 < 2x+8 0 ×≠-1
- B |2n-4| -2 ≥ 4
- 1 3x+2 +4 < 10





## Unit 3 REMEDIATION

Solve and graph:

- ①  $2(a-3) \leq 5a-3$
- ②  $\frac{2n}{3}-1 > n-4$
- $\frac{3(2n+2)}{2} > \frac{6n-7}{2}$

Write as a compound sentence without "and":

⊕ 5n-1 ≤ 14 and 2n+3>-1



Put in final form and graph the solution:

- (5) 2x-6 ≤ 3x+4 < x+12
- 6 2 (4n-1) < 8n+5 < 4(2n+3)
- 9 3a+1<-5 of 2a+6<3a-2



write the compound sentence and identify as a union or intersection:



Use an inequality to solve:

- Twice an odd integer increased by three is at least -4 and at most 10. Find the integer.
- 10 Ben took home between \$16,820 and \$25,460 last year. If he earns \$12,500 in salary plus 12% commission on sales, what were his sales?
- D Find three consecutive even integers if the sum of the middle one and twice the largest is between -10 and 12.

Solve and graph:

- 12 (3n<n-8 of 2n>n+6) and n=-7
- 13 15×+3 1-1 > 7
- (4)  $|2n-5|+3 \le 6$



### Unit 3 EXTRA PRACTICE

Solve and graph:

- 1 2(4a-6)<-6
- Ø-3(x-2)≥2(x-1)+3
- ③2(n+3)<井-1
- (4) -3(3x+2)≥2(x-3)-11×


Write as a compound without "and":

6 x>-2 and x<4

Solve and graph:

- ⑦3x-2<-8 ୧୯ x-7>-3
- 3×+4 ≤ 2×+9 ≤ ×+15
- 9 6n+5<2(3n+4)<3(2n-1)
- @ ×≥4x-9 er 2x2×+4
- 1 n-8>3n-4 and n =-6

Write as a compound and identify as a union or intersection:



use an inequality to solve:

(4) Three times an integer decreased by 5 is between 12 and 15. Find the integer.

- 15 five times an integer decreased by 3 is greater than 6 and less than 25. Find the integer.
- Bruce earns \$14,200 plus a 5% commission on sales. Determine his sales if he takes home between \$21,200 and \$25,200.

Solve and graph:

- 1 3x-6 ≥ 12
- 13 12x+6)-4<6
- (9) x-3<2x+5<x+9 9/1 x +-2

use an inequality to solve:

@Find two consecutive add integers if the sum of the first and four times the second is between 30 and 56.



### Cumulative Review

## Problems QUARTER #1 REVIEW

Identify the property:

- ① If a+7=2c and b=7, then a+b=2c
- 2 a(m+n) = am + an

Write an algebraic expression:


3) The sum of three more than twice a number and five less than the number


Evaluate each expression:

$$a = -2$$

$$b = -1$$

$$c = +3$$







Simplify each expression:

- 6 8xy -3x(2x-4y)-2x2
- 1 4a (a-2b)-3b (a+2b)+b2

Solve each equation:

$$3 \frac{3n-4}{8} = 3n+10$$

95(3n-2)=4(n+4)+3n-2

Solve the inequality:

 $\frac{10}{3} < \frac{4(3n-1)}{12}$ 

Solve and graph:

- ①  $2n-9 \leq 3n-4 < n+8$
- ② 2×+3 ≤7 of 3(x-4)>6


Solve for n:

Define a variable, set up an equation, and solve:

- (H) Mrs. Benson is four times as old as her son Nick. Six years ago, Mrs. Benson was three times as old as Nick will be two years from now. How old was Nick last year?
- 15) Twice a number increased by 12 is 31 less than 3 times the number. Find the number.



- B Sam's backyard is 25 m longer than it is wide. It can be enclosed by 170 m of fencing. What is the yard's area?
- 1 \$85.69 is 1042% of what?
- (18) If tires are on sale at 20% off, what is the original price for a set of tires on sale for \$128?
- (19) Three times an even integer decreased by two is between 8 and 24. Find the integer.
- 20) Alex earns a regular salary of \$400 a week plus 4% commission on sales. If he takes home \$520, what were his sales for the week?



Solve and graph:

- 2) 14n-61 > 10
- 22 In 1-3 4-4
- 23 |n-5| +3 < 8

## Problems QUARTER #1 REVIEW

Identify the property:

- (1)  $3mn(\frac{1}{3}mn) = 1$
- ② If  $-7ax^2 = 3y$ , then  $3y = -7ax^2$

write an algebraic expression for the following:

3) The product of three less than a number and two more than the square of the same number.

Evaluate each expression: x = -1, y = 4, z = -2

- $\oplus$  - $x^2$ -3xy
- 5 2×y2+82 4×34



Simplify each expression:

- $63 \times (2y-x) 2x(3x+y)$
- 9 -12m 20mm 8m

Solve each equation:

- (3)(a-4)-5a=a+3
- 9 6 孪 = 9-2n

Solve the inequality:

( \( \( \times \) \( \times \)

Solve and graph:

- (1) n+6 < 3n+10 ≤ n+16
- ② a-3 ≤ 4 of 3(a-2) < 5a-2</p>

Solve for x:

Define a variable, set up an equation, and solve:

- H Alice is half Fay's age. G years ago, Fay was 3 times as old as Alice was 4 years ago. How much older is Fay than Alice?
- (5) Twice the smallest of three consecutive even integers decreased by three times the middle integer is negative two. Find the middle integer.
- 16) Two sides of an isosceles triangle are two inches less than twice the base. If the perimeter is 26, find the base.
- 1 What is 22 2 % of 140?
- 3 Sharon saved \$10.80 on

a bookcase. If the bookcase was on sale for 15% off, how much did she pay?



- (9) Find a negative odd integer such that 6 more than 4 times the integer is greater than -7 and less than 19. Find the integer.
- 5 Julia earns a salary of \$225 per week plus a 5% commission on sales. Over a three week period, Julia took home \$815. What were her sales?

Solve and graph on a number line:

- @ 16x-61-2 4 16
- 21 |n-1|+4 > 2
- 23 |3n-6| > 15



## Problems QUARTER #1 REVIEW

Identify the property:

- ① 3a + (2n-1) = (2n-1) + 3a

Write an algebraic expression:

3 The difference of an integer cubed and three less than four times the integer.

Evaluate each expression:

$$a = 2$$

$$b = -2$$

- 4 abc 2bc3
- (5) 4bc 2(ab2-1)



Simplify each expression:

- 6 4ab 2a (3a-b) 5a2
- $\emptyset$  3x (2x-y) 4x2-3(x2-xy)

Solve each equation:


- 9  $2(3x-4)-2x=\frac{x-2}{3}$

Solve the inequality:

$$\frac{6}{6} \frac{2(n-3)}{6} > \frac{4n-4}{9}$$

Solve and graph:

- ①  $x-1 \le 3x+7 < 2x+8$
- (2) 3n-4>11 of 2n-4<-2






Solve for n:

(3)  $5x-3n = x^2 - 2mn$ 

Define a variable, set up an equation, and solve:

1 The sum of the ages of

Mrs. Mc Cann and her son Arthur is 57. In 6 years, Mrs. Mc Cann will be twice as old as her son. How old is Arthur?




- (5) Five times a number decreased by negative two is negative thirteen. Find the number.
- (b) The garden is four feet longer than it is wide. If it can be enclosed by a fifty-two foot fence, what are the dimensions of the garden?
- 15 is 18% of what?

- 18) The tickets were purchased for \$51.20 after 20% was deducted from the original price. How much money was saved?
- 19 One more than four times a positive even integer is between -7 and 26. Find the integer.
- O Nick earns a weekly salary of \$175 plus 7½% commission on sales. What are his sales if he takes home \$725 over a two week period?

Solve and graph on a number line:

- 2) |x| +3 < 2
- @ |5n-10| +15 2 25
- 23 |3n|-6 < 12



#### **Quarterly Exam #1**

#### REMEDIATION & EXTRA PRACTICE

Identify the property:

- ① If  $x^2y = 2a$  and  $2a = z^2$ , then  $x^2y = z^2$ (ab)c = a(bc)
- ② ab + 3c = 3c + abIf 4n = 3y, then 3y = 4n

Evaluate each expression: a=-2 b=-1 c=2

- ③  $2ab^2 cb^3$  $abc + 2a^2b$
- $\oplus$  3bc 2b<sup>5</sup> + ac 2b - ac - b<sup>2</sup>c<sup>2</sup>

Simplify:

- (5)  $3xy 2x(x-4y) 2xy + 3x^2$  $a^2b - 2a(a+ab) - 5a^2$

Solve each equation:

- $\frac{3x+7}{2} = x+1$   $3n \frac{2n}{3} = 2(n+1)$
- 8 3(3n-5)-4n=52(3x-4)-2(x+3)=x-11







Solve the inequality:


$$\frac{92(4x-3)}{5} > \frac{2x+2}{3}$$

$$\frac{3(n-4)}{4} \leq \frac{n-3}{2}$$

Solve for x:

Solve and graph:

- 2n-5>9 of 3n-5<7 $n+3 \leq -5$  of  $2n-3 \geq 7$
- $|3|2n-5| \ge 7$  |3n-3| > 12



$$\frac{||1||2n-5|-8<3}{||n+2|-6\leq4}$$

Define a variable, set up an equation, and solve:

(5) Jay is 4 times as old as Paul. Four years ago, Jay was twice the age that Paul will be two years from now. How old was Jay last year?

Albert is 5 times as old as Joey. Five years ago, Albert was three times the age Joey will be next year. How old was Joey two years ago?

16) Four times an integer increased by 8 equals one less than the integer. Find the integer.

Three less than twice an integer equals seven more than four times the integer. Find it.

① A rectangle has a length two inches more than twice its width. If the perimeter is 22 inches, determine the area.

A rectangles length is three inches less than three times its width. Determine the area if the perimeter is 34 in.

(18) A clock is on sale for 15% off. If the new purchase price is \$15.64, how much money is <u>saved</u> during the sale?

The price of a video is \$9.12 after a 5% off Coupon is applied to the purchase. Determine the original price.

Six more than twice a negative even integer is greater than -9 and less than 10. Find the integer.

One more than three times a positive odd integer is greater than -12 and less than 11.

26) Janice earns a regular weekly salary of \$180 plus 1290 commission on sales. If she takes home \$708 in one week,

how much were her sales?

Molly Carns \$120 per week and 4% commission on sales. After two weeks, she takes home \$631.20. What were her sales for the two week period?

Solve and graph:

(2) |x-5| < 3 and  $x \ne 4$  $|2x-3| \ge 7$  and  $x \ne 7$ 



